



Enjoy your choice:

The MC Series features an innovative "PRV" (Pressure Relief Valve) that protects the pulveriser from high pressure. Reinforced strength and durability from being manufactured with HARDOX 400. An innovative interchangeable teeth system.

- Entirely made in HARDOX and STRENGTH;
- equipped with two powerful cylinders;
- regenerative system available in selected models;
- standard hydraulic rotation;
- continuous and precise 360° rotation in both directions thanks to integrated hydraulic systems;
- fast, accurate and efficient jaw positioning in any work condition;
- ideal for excavators with long booms

[illegible]

MC SERIES

MULTI-SYSTEM



SHEAR KIT

Ideal for cutting ferrous materials, including structural steel, pipelines, tanks, sheets and ferrous wrecks.



MC MODEL (SHEAR KIT)	U.M.	MC 5	MC 7	MC 10	MC 15	MC 18	MC 24	MC 30	MC 40	MC 55	MC 80	MC 110
APERTURA A (KIT CESCOIA)	mm	340	270	370	360	460	540	560	620	700	750	800
OPENING A (SHEAR KIT)	in.	13,4	10,7	13,8	14,20	18,1	20,1	22	24,4	27,6	29,5	31,5
LUNGHEZZA B (KIT CESCOIA)	mm	1050	1466	1545	1740	1910	2100	2300	2430	2525	2610	2815
LENGTH B (SHEAR KIT)	in.	41,33	57,71	60,82	68,5	75,19	82,68	90,55	95,66	99,41	102,76	110,83
LARGHEZZA P (KIT CESCOIA)	mm	280	370	340	360	400	400	410	430	485	520	555
WIDTH P (SHEAR KIT)	in.	11,02	14,57	13,38	14,17	15,75	15,75	16,14	16,92	19,09	20,47	21,85
PESO (KIT CESCOIA)	Kg	92	180	240	400	430	700	780	1100	1580	2000	2500
EQUIPMENT WEIGHT (SHEAR KIT)	lbs	203	397	529	882	948	1543	1720	2425	3483	4409	5511



PULVERISER KIT


Suitable for secondary demolition. It separates the rod from the concrete.



MC MODEL (PULVERISER KIT)	U.M.	MC 5	MC 7	MC 10	MC 15	MC 18	MC 24	MC 30	MC 40	MC 55	MC 80	MC 110
APERTURA A (KIT FRANTUMATORE)	mm	310	500	570	650	800	830	920	980	1100	1600	1800
OPENING (PULVERIZER KIT)	in.	12,2	19,7	23,6	26,8	31,5	32,7	35,4	38,6	43,3	63	70,9
LUNGHEZZA B (KIT FRANTUMATORE)	mm	1020	1486	1715	1920	2080	2210	2450	2600	2870	3355	3685
LENGTH B (PULVERIZER KIT)	in.	40,16	58,50	67,52	75,59	81,89	87	96,46	102,36	112,99	132,09	145,08
LARGHEZZA P (KIT FRANTUMATORE)	mm	250	390	510	540	570	510	550	600	870	1265	1425
WIDTH P (PULVERIZER KIT)	in.	9,84	15,35	20,08	21,26	22,44	20,08	21,65	23,62	34,25	49,80	56,10
PESO (KIT FRANTUMATORE)	Kg	100	250	310	420	500	820	850	1250	1620	2800	3800
EQUIPMENT WEIGHT (PULVERIZER KIT)	lbs	220	551	683	926	1102	1808	1874	2756	3571	6173	8378

MC SERIES

MULTI-SYSTEM



COMBI-CUTTER KIT

Designed for tackling concrete and metallic structures during mixed demolitions.



MC MODEL (COMBY KIT)	U.M.	MC 5	MC 7	MC 10	MC 15	MC 18	MC 24	MC 30	MC 40	MC 55	MC 80	MC 110
APERTURA A (KIT COMBY)	mm			660	720	830	865	870	1100	1300	1600	1750
OPENING A (COMBY KIT)	in.			26	28,34	32,68	34,05	34,25	43,3	51,2	63	68,9
LUNGHEZZA B (KIT COMBY)	mm			1695	1955	2115	2230	2485	2500	2750	3015	3270
LENGTH B (COMBY KIT)	in.			66,73	70,08	83,27	87,79	97,83	98,42	108,27	118,70	128,74
LARGHEZZA P (KIT COMBY)	mm			490	575	605	570	615	500	750	925	1010
WIDTH P (COMBY KIT)	in.			19,29	22,64	23,82	22,45	24,21	19,68	29,52	36,42	39,76
PESO (KIT COMBY)	Kg			300	430	470	750	780	1150	1350	2550	3750
EQUIPMENT WEIGHT (COMBY KIT)	lbs			661	948	1036	1653	1720	2535	2976	5622	8267



UNIVERSAL KIT

Designed for primary and secondary demolition, it simultaneously cuts metal bars and concrete.



MC MODEL (UNIVERSAL KIT)	U.M.	MC 5	MC 7	MC 10	MC 15	MC 18	MC 24	MC 30	MC 40	MC 55	MC 80	MC 110
APERTURA A (KIT UNIVERSALE)	mm			600	610	630	770	800	820	1000	1400	1565
OPENING A (UNIVERSAL KIT)	in.			23,6	26,8	24,8	30,3	31,5	32,3	39,4	55,1	61,61
LUNGHEZZA B (KIT UNIVERSALE)	mm			1655	1835	1980	2320	2390	2650	2795	3205	3506
LENGTH B (UNIVERSAL KIT)	in.			65,16	72,24	77,95	91,33	94,09	104,33	110,04	126,18	138,03
LARGHEZZA P (KIT UNIVERSALE)	mm			450	455	470	470	500	650	795	1115	1246
WIDTH P (UNIVERSAL KIT)	in.			17,72	17,91	18,50	18,50	19,68	25,59	31,30	43,90	49,06
PESO (KIT UNIVERSALE)	Kg			320	430	580	850	900	1150	1650	2600	3600
EQUIPMENT WEIGHT (UNIVERSAL KIT)	lbs			705	948	1279	1874	1984	2535	3638	5732	7937